

# Termination BNC

75Ω

DC to 1000 MHz

## BTRM-75+



CASE STYLE: LL85

Connectors	Model	Price	Qty.
BNC-Male	BTRM-75+	\$9.95 ea.	(1-9)

**+ RoHS compliant in accordance with EU Directive (2002/95/EC)**

*The +Suffix has been added in order to identify RoHS Compliance. See our web site for RoHS Compliance methodologies and qualifications.*

### Maximum Ratings

Operating Temperature -55°C to 100°C

Storage Temperature -55°C to 100°C

Permanent damage may occur if any of these limits are exceeded.


### Features

- return loss, 30 dB typ. up to 500 MHz
- rugged construction

### Applications

- test set-up
- cellular communications

### Outline Drawing



### Outline Dimensions (inch/mm)

A	B	D	wt
1.46	.58	.75	grams
37.08	14.73	19.05	21.5


### Electrical Specifications

FREQUENCY (MHz)	IMPEDANCE (OHMS)	RETURN LOSS (dB) MIN.		POWER RATING* (W)
		DC-.5 GHz	DC-1 GHz	
DC-1000	75	30	20	0.5

\* At 70°C, derate linearly at 5mW/°C to 350mW at 100°C.

### Typical Performance Data

Frequency (MHz)	Return Loss (dB)
0.30	46.98
52.79	44.65
97.90	43.49
262.00	38.27
352.00	36.19
442.00	34.09
532.00	32.28
705.00	29.96
885.00	27.87
1057.00	26.40



**Mini-Circuits®**  
ISO 9001 ISO 14001 AS 9100 CERTIFIED

For detailed performance specs & shopping online see web site

P.O. Box 350166, Brooklyn, New York 11235-0003 (718) 934-4500 Fax (718) 332-4661 *The Design Engineers Search Engine* Provides ACTUAL Data Instantly at [minicircuits.com](http://minicircuits.com)

IF/RF MICROWAVE COMPONENTS

**Notes:** 1. Performance and quality attributes and conditions not expressly stated in this specification sheet are intended to be excluded and do not form a part of this specification sheet. 2. Electrical specifications and performance data contained herein are based on Mini-Circuit's applicable established test performance criteria and measurement instructions. 3. The parts covered by this specification sheet are subject to Mini-Circuits standard limited warranty and terms and conditions (collectively, "Standard Terms"); Purchasers of this part are entitled to the rights and benefits contained therein. For a full statement of the Standard Terms and the exclusive rights and remedies thereunder, please visit Mini-Circuits' website at [www.minicircuits.com/MCLStore/terms.jsp](http://www.minicircuits.com/MCLStore/terms.jsp).

REV. C  
M116870  
BTRM-75+  
RS/TD/AM  
080513