

Coaxial Bandpass Filter

VBFZ-3590+

50Ω 3000 to 4300 MHz

Maximum Ratings

Operating Temperature	-55°C to 100°C
Storage Temperature	-55°C to 100°C
RF Power Input*	7W at 25°C

*Passband rating, derate linearly to 3W at 100°C ambient.

Features

- Good Rejection, 25dB up to 14GHz
- Low insertion loss
- Excellent power handling, 7W
- Temperature stable LTCC internal structure
- Rugged stainless steel unibody
- Protected by US Patent 6,943,646

Applications

- Harmonic rejection
- Transmitters/receivers
- Lab use
- Test instrumentation




CASE STYLE: FF1145

Connectors	Model	Price	Qty.
SMA	VBFZ-3590-S+	\$39.95 ea.	(1-9)

+ RoHS compliant in accordance with EU Directive (2002/95/EC)

The +Suffix has been added in order to identify RoHS Compliance. See our web site for RoHS Compliance methodologies and qualifications.

Outline Drawing




Outline Dimensions (inch mm)

B	D	E	wt.
.410	1.91	.312	grams
10.41	48.51	7.92	11.8


Bandpass Filter Electrical Specifications (T_{AMB} = 25°C)

CENTER FREQ. (MHz) Fc	PASSBAND (MHz) (Loss < 2dB) F1 - F2	STOPBANDS (MHz)				VSWR (:1)		
		(Loss > 20dB)		(Loss 25dB Typ)		Passband		Stopband
		F3	F4	F5	F6	Typ.	Max.	Typ.
3590	3000 - 4300	2250	5950	2200	5950 - 14000	1.3	2.1	20

Typical Frequency Response





Functional Schematic



Typical Performance Data at 25°C

Frequency (MHz)	Insertion Loss (dB)	VSWR (:1)
50	51.58	1737.18
1500	42.11	91.43
2200	43.33	36.97
2250	37.02	34.75
2350	24.16	26.33
2550	9.29	8.81
2650	4.57	3.72
2750	2.19	1.82
3000	1.26	1.53
3590	0.89	1.12
4300	1.03	1.30
4750	1.71	1.62
4900	2.90	2.54
5100	6.15	5.06
5300	11.21	8.60
5500	17.93	10.82
5700	24.54	10.56
5950	38.85	12.99
10000	27.08	3.36
14000	31.63	8.51



Mini-Circuits®
ISO 9001 ISO 14001 AS 9100 CERTIFIED

minicircuits.com

P.O. Box 350166, Brooklyn, New York 11235-0003 (718) 934-4500 Fax (718) 332-4661 For detailed performance specs & shopping online see Mini-Circuits web site



The Design Engineers Search Engine Provides ACTUAL Data Instantly From MINI-CIRCUITS At: www.minicircuits.com

IF/RF MICROWAVE COMPONENTS

REV. A
M117530
EDR-8455/1U
VBFZ-3590+
URJ/RAV
080610
Page 1 of 1