



**Harbour**  
INDUSTRIES

# Aerospace High Speed Data Cable



**Gigabit Ethernet  
Quad Constructions  
Twisted Pair Constructions**



**Avionics**



**In Flight  
Entertainment**



**Cabin Management**

As the premier manufacturer of high performance wire and cable, Harbour Industries LLC has developed a full line of High Speed Data Cables called **DataMaster™**.

- ◇ Gigabit Ethernet, Quad, Twisted Pair, and Composite designs offered are light weight, flexible, and easy-to-terminate ... all of which sets Harbour apart from the competition.
- ◇ Our design and process engineering experience and expertise ensures high quality and uniform products manufactured in accordance with customer specifications and requirements.
- ◇ Harbour is proud of their “First-in-Class” customer service supported by a wide range of manufacturing processes and large scale production.
- ◇ Through the use of special materials and innovative design techniques, Harbour offers **Aerospace DataMaster™ Cables** that are light weight and high speed. Twisted Pair, Quad, and Composite cables described in this catalog represent just a few of the cables Harbour offers.
- ◇ Harbour Industries’ **DataMaster™** cables are used in numerous applications on commercial and military aircraft and military land based vehicles at companies such as Boeing, Bombardier, Harris, Rockwell Collins, Raytheon, EDS, Sikorsky, BAE, L-3, Lockheed Martin, Northrop Grumman, General Dynamics, and Honeywell.



*Harbour Industries' Facility in Shelburne, Vermont*

# AEROSPACE DATA CABLES

<b>Innovative Cables for Aerospace Applications .....</b>	<b>4</b>
<b>Gigabit Ethernet DataMaster™ Cables, An Overview .....</b>	<b>5</b>
<b>Gigabit Ethernet DataMaster™ Aero .....</b>	<b>6</b>
1000 Base T Cat 5e performance	
<b>Gigabit Ethernet DataMaster™ AeroBit .....</b>	<b>7</b>
10 Gigabit performance allows for future signal headroom	
<b>Gigabit Ethernet DataMaster™ AeroFit .....</b>	<b>8</b>
A smaller lighter weight cable with 1000 Base T performance	
<b>Quad Ethernet .....</b>	<b>9-10</b>
Four conductor Quadrax designs	
<b>Twisted Pair and Composites .....</b>	<b>11</b>
Data Bus, twinax, and multiconductor designs	

## **Design Considerations based on Application**

- ◇ Harbour Industries carefully chooses center conductors and shields for the best combination of DC resistance, tensile strength, and flexibility. Insulation and jacketing compounds are chosen for cut-through, abrasion resistance, and resistance to solvents, hydraulic fluids, and chemicals.
- ◇ Cable designs are optimized to meet customers' electrical requirements taking into consideration FAA, ARINC, military, and industry specifications.
- ◇ Harbour has a long history of providing cost effective solutions to support even the most demanding program requirements.
- ◇ Cable designs in this catalog describe just a few of the many different constructions Harbour has manufactured and are available for specific customer requirements.

# Harbour's High Speed DataMaster™ Cables



## *Innovative Cables for IFE and CMS Applications*

**DataMaster™** cable constructions utilize first in class design engineering along with cutting edge manufacturing techniques.

**Proprietary Foamed Fluoropolymer Insulation:** Harbour pioneered the process to manufacture closed cell Fluoropolymer insulation. Our composite primaries have enhanced characteristics when compared to other types of insulating materials. Such as:

**Overall Weight Savings:** Up to 10% reduction in cable weight.

**Toughness:** A closed cell insulation provides enhanced crush resistance when compared to other types of insulations such as expanded PTFE.

**Ease of Termination:** Harbour's composite fluoropolymer insulation provides swift, clean-cut processing!

**Longer lengths:** Harbour's proprietary process yields longer average lengths when compared to other manufacturers.

**DataMaster™ Cables meet the most demanding standards for Flame, Smoke, and Toxicity:** FAR 25.0 Appendix F, Boeing and Airbus standards.

Whether it's Gigabit Ethernet, Quad, Twisted Pair or custom designs let Harbour unleash its reputation and provide a quality product, with the finest customer support, delivered on time at a competitive price!

**To learn more go to [www.harbourind.com](http://www.harbourind.com) or call 800-659-4733 today.**

*“Broadening our Foot Print,  
Power of the Past is the Force of our Future”*



## Harbour's Gigabit Ethernet *Aero* Series



Harbour has employed years of experience manufacturing **High Speed Data Cables** to come up with a new line of Gigabit Ethernet Cables for Aerospace applications. These three cables have been engineered to exceed our customer's expectations for **performance, flexibility, ease of termination and low weight.**

DataMaster Aero™ cables are being used in **In-Flight-Entertainment Systems, Military and Commercial Avionics, Cabin Management Systems** just to name a few. Harbour's Data Master™ cables meet the most demanding Boeing and Airbus smoke and toxicity requirements and also FAR 25.853 Flame tests.

### *DataMaster™ Aero*

A lightweight easily terminated with 1000 Base T Cat 5e performance.

### *DataMaster™ AeroBit*

A 10 Gigabit solution providing future proof headroom for demanding aerospace applications.

### *DataMaster™ AeroFit*

Proprietary construction provides Cat 5e performance with second-to-none bend radius. Extremely low weight and small overall diameter.



# GIGABIT ETHERNET CABLE

## DataMaster™ Aero



### Construction

- Four Pair Cable Design
- Proprietary Fluoropolymer Insulation
- Fluoropolymer Tape Binder
- Aluminum Inner Shield
- Round Wire Outer Braid
- FEP Jacket (laser markable ETFE and PFA available)

	E10024064	E10024087	E10026088	E10026089
Conductor	24(19) SPCA	24(19) SPCA	26(19) SPCA	26(19) SPCA
Outer Braid	SPC	TPC	SPC	TPC
Overall Diameter	.265"	.265"	.236"	.236"
Weight (lbs/mft)	50	50	35	35
Temp Rating	-55°C +200°C	-55°C +150°C	-55°C +200°C	-55°C +150°C

1000 Base T Cat 5e Performance

Impedance 100.0 +/- 15 Ohms

All Cables Comply with RoHS and REACH Directives

Cables pass FAR 25.853, Airbus ABD0031, and Boeing Smoke & Toxicity Requirements

- ◇ Easy to install, superior electrical performance
- ◇ Ideal for a wide range of high speed Ethernet applications
- ◇ Small size, light weight, and durable
- ◇ Exceptional mechanical and electrical performance
- ◇ Applications: In-Flight Entertainment Systems, Cabin Management Systems, Ethernet Backbone Avionics, and Ground Vehicle Trunk and Bus



# GIGABIT ETHERNET CABLE

## DataMaster™ AeroBit



### Construction

- Four Pair Cable Design
- Proprietary Fluoropolymer Insulation
- Fluoropolymer Tape Binder
- Aluminum Inner Shield
- Round Wire Outer Braid
- FEP Jacket (laser markable ETFE and PFA available)

	E10024065	E10024090	E10026091	E10026092
Conductor	24(19) SPCA	24(19) SPCA	26(19) SPCA	26(19) SPCA
Outer Braid	SPC	TPC	SPC	TPC
Overall Diameter	.275"	.275"	.236"	.236"
Weight (lbs/mft)	52	52	37	37
Temp Rating	-55°C +200°C	-55°C +150°C	-55°C +200°C	-55°C +150°C

10 Gigabit allows future-proof signal headroom

Impedance 100.0 +/- 15 Ohms

All Cables Comply with RoHS and REACH Directives

Cables pass FAR 25.853, Airbus ABD0031, and Boeing Smoke & Toxicity Requirements

- ◇ Highly durable cables are a perfect match for a wide range of demanding data applications
- ◇ Reduces crosstalk and eliminates the need for individual pair shielding
- ◇ Applications: In-Flight Entertainment Systems, Cabin Management Systems, Ethernet Backbone Avionics, and Ground Vehicle Trunk and Bus



# GIGABIT ETHERNET CABLE

## DataMaster™ AeroFit



### Construction

- Four Pair Cable Design
- Proprietary Fluoropolymer Insulation
- Fluoropolymer Tape Binder
- Aluminum Inner Shield
- Round Wire Outer Braid
- FEP Jacket (laser markable ETFE and PFA available)

	E10026093	E10026094
Conductor	26(19) SPCA	26(19) SPCA
Outer Braid	SPC	TPC
Overall Diameter	.200"	.200"
Weight (lbs/mft)	34	34
Temp Rating	-55°C +200°C	-55°C +150°C

1000 Base T Cat 5e Performance

Lighter Weight and Smaller Diameter with a tighter bend radius

Impedance 100.0 +/- 15 Ohms

All Cables Comply with RoHS and REACH Directives

Cables pass FAR 25.853, Airbus ABD0031, and Boeing Smoke & Toxicity Requirements

- ◇ These highly flexible designs provide the same electrical performance as Harbour's Gigabit Aero and AeroBit constructions.
- ◇ The cables are ideal for routing in tight spaces.
- ◇ Applications: In-Flight Entertainment Systems, Cabin Management Systems, Ethernet Backbone Avionics, and Ground Vehicle Trunk and Bus



## Want to lose some weight?

### *DataMaster™ Q100*



Data Quad constructions are the Data Cable workhorses in countless applications in today's aircraft. For example often many, many thousands of feet will be used in a single In-Flight-Entertainment system. No surprise Engineers need the **lightest** quad cable they can get their hands on.

Enter Harbour Industries **DataMaster™ Q100!** Harbour's proprietary Fluoropolymer insulation Delivers!

## How does 10% sound?

### Do the math!

\* **DataMaster™ Q100** 24 AWG: **22 lbs/Mft**

\* Harbour's closest competitor's 24 Quad: **24.5 lbs/Mft**

Throw in a tougher, easier to terminate, longer lengths, **COMPETITIVE....** It's game over!

\* 22, 24 and 26AWG

\* Operating Temperatures: -55°C through 200°C

\* Jackets: FEP, laser printable ETFE (200°C available!)

Samples available!

[www.Harbourind.com](http://www.Harbourind.com)

Call 800-659-4733



# DataMaster™ Aerospace Cable

## Quad Ethernet Designs



### Construction

Four Conductor QuadraX Design  
 Proprietary Fluoropolymer Insulation  
 Fluoropolymer Tape Binder  
 Flat TPC Inner Braid + Round Wire TPC Outer Braid  
 SPC and Other Shield Configurations Available  
 FEP Jacket (laser markable ETFE and PFA available)

	Q10022310	Q10024016	Q10026301	Q15022034	Q15024035	Q15026311
Conductor	22(19) SPC	24(19) SPCA	26(19) SPCA	22(19) SPC	24(19) SPCA	26(19) SPCA
Overall Diameter	.186"	.161"	.137"	.271"	.239"	.205"
Capacitance (pF/ft)	13.0	13.0	14.5	8.5	8.5	8.5
Weight (lbs/mft)	29	22	18	55	43	30

1000 Base T Cat 5e Performance

Temperature Rating -55°C +150°C

All Cables Comply with RoHS and REACH Directives

Cables pass FAR 25.853, Airbus ABD0031, and Boeing Smoke & Toxicity Requirements

- ◇ Stable electrical performance supporting 1000 Base T Ethernet and Cat 5e performance over defined distances
- ◇ Lightweight and small size for high speed airborne data applications
- ◇ Silver plated copper and silver plated copper alloy conductors with tin or silver plated copper braids
- ◇ Easy termination with non-shrinkback insulation, fits standard connectors
- ◇ 100 and 150 Ohm impedance, 150°C and 200°C rated
- ◇ Supports Gigabit Ethernet, FDDI, USB, and 1394 standards



# DataMaster™ Aerospace Cable Twisted Pair and Composite Designs



## Construction

One through Four Pairs and Composite Designs  
 Proprietary Fluoropolymer Insulation  
 100 Ohm, 150 Ohm, and 77 Ohm Designs  
 Round Wire Braids, Tin and Silver  
 FEP Jacket (laser markable ETFE and PFA available)

	E10024095	E10024096	M17/176-00002	E09026097	E11024098
Conductor	24(19) SPCA	24(19) SPCA	24(19) SPCA	26(19) SPC	24(19) SPCA
Outer Braid	TPC	TPC	SPC	SPC	SPC
Overall Diameter	.141"	.276"	.129"	.200"	.250"
Impedance (ohms)	100	100	77	90	110
Weight (lbs/mft)	17	35	18	29	40
Temperature Rating	150°C	150°C	200°C	200°C	200°C
Attenuation (db/100ft)					
typ/max @ 10 MHz	2.0 / 2.3	2.0 / 2.3	4.1 / 4.5	3.5 / 4.0	1.9 / 2.3
@ 100 MHz	6.8 / 7.5	6.8 / 7.5	15.4 / 17.0	12.2 / 14.6	6.5 / 7.2

All Cables Comply with RoHS and REACH Directives

Cables pass FAR 25.853, Airbus ABD0031, and Boeing Smoke & Toxicity Requirements

- ◇ Databus cable and twinax (such as the MIL-DTL-17 construction M17/176-00002) streamline communication between various electronic components and avionics units in commercial aircraft, military aircraft, and military ground vehicles.
- ◇ Composite cables have been designed for minimal insertion loss and superior protection against EMI and RFI.
- ◇ Applications: In-Flight Entertainment Systems, Cabin Management Systems, USB and VGA Multimedia, Standard Definition Video, and HDTV.



*Harbour*  
**INDUSTRIES**  
*High Performance Wire & Cable*

Harbour Industries LLC  
4744 Shelburne Road  
P. O. Box 188  
Shelburne, VT 05482  
Tel: (802) 985-3311 or (800) 659-4733  
Fax (802) 985-9534  
e-mail: [sales@harbourind.com](mailto:sales@harbourind.com)

Harbour Industries LTD  
1365 Industrial Blvd.  
Farnham, Quebec Canada J2N 2X3  
Tel: (450) 293-5304  
Fax: (450) 293-2421

[www.harbourind.com](http://www.harbourind.com)



A Marmon Wire & Cable/Berkshire Hathaway Company